



LINCOLNSHIRE COUNTY COUNCIL'S RESPONSE TO CONSULTATION ON THE FOLLOWING DEVELOPMENT PROPOSAL

District: Lincolnshire County Council

Application number: PL/0127/24

Application Type: Variation of Condition

Proposal: To vary condition 13 of planning permission S20/1351 to allow the mineral development to commence but restricting the exportation of any minerals from the site until works have been carried out to widen King Street, Greatford

Location: Land at King Street, Greatford

Response Date: 31 January 2025

This report includes the Substantive response of the Local Highway and Lead Local Flood Authority to a planning consultation received under the Development Management Order and includes details of any planning conditions or informatives that should be attached in the event that permission is granted and any obligations to be secured by way of a S106 agreement.

General Information and Advice

Please note that although the Definitive Map and Statement proves the existence of any recorded rights of way, there may be further or higher rights that are not shown on this document that the County Council is not currently aware of. This would be especially relevant where the public has had informal access to the site or where there are references to routes across this in maps or other historic documents. As the County Council has received no application to recognise further rights of way affecting the site, no more informed guidance can be offered at this stage.

Application number: PL/0127/24
Application Type: Variation of Condition
Location: Land at King Street, Greatford

Highway and Lead Local Flood Authority Report

Substantive Response provided in accordance with article 22(5) of The Town and Country Planning (Development Management Procedure) (England) Order 2015:

Recommendation:

No Objections

Having given due regard to the appropriate local and national planning policy guidance (in particular the National Planning Policy Framework), Lincolnshire County Council (as Highway Authority and Lead Local Flood Authority) has concluded that the proposed development would not be expected to have an unacceptable impact upon highway safety or a severe residual cumulative impact upon the local highway network or increase surface water flood risk and therefore does not wish to object to this planning application.

The comments are based on the revised 'Planning Statement' confirming that no export of minerals will take place prior to the improvements to the Access and King Street. Therefore, there will be no impact on the highway, as a result of this condition variation.

Officer's Name: Sarah Heslam
Officer's Title: Principal Development Management Officer
Date: 31 January 2025